



PREMIUM INSTANT MARQUEES

NZ's Leading Specialist Supplier of Instant Marquees



We've got you covered.



up to 8 Years
Warranty



Reinforced
Frames



Fast Delivery
New Zealand-wide



Fast Production
& Delivery



Printing
Specialists

PREMIUM INSTANT MARQUEES

Shedline offers New Zealand's strongest Instant Marquees with reinforced frames and extensive warranties.

We have a team of shade consultants and designers here to help you with choosing the right marquee through to custom printed designs.

Our instant marquees have been distributed throughout Australasia for 25+ years. From home-use through to industrial applications, Shedline has the right indoor or outdoor marquee for your needs.

Simple and quick to set up. Up & down in 60 seconds, they are compact to store and transport. The ingenious simple folding frame can be deployed by one person.

Engineered to meet New Zealand standards, our instant marquees are produced according to the strictest criteria for quality.

We use commercial fabrics for our canopies that are fire retardant, have 100% UV protection and waterproof. The close-mesh polyester fabric provides an excellent base for printing.

Our frames are made from high-grade commercial aluminium that is corrosion resistant. Twin rib reinforced struts provide enhanced strength for the marquees.

Branded marquees are our specialty. Our advanced and innovative branding methods, free mock-up concept designs and fast production lead times have seen our marquees become the preferred supplier for some of the biggest brands in Australasia.

All Shedline Instant Marquees carry extensive warranties on all materials and workmanship with frames warranted up to 8 years.

Contents

4-7	<i>Titan</i> Instant Marquee - Premium
8-11	<i>Promercial</i> Instant Marquee - Commercial
12-15	<i>Deluxe</i> Instant Marquee - Industrial
16	Accessories
17	Sidewalls
18	Colours / Printing Process
19	Fabric / Product Warranties
20-21	Custom Branding
22	Frame Construction
23	Dimensions / Weights

Titan

Premium Grade Aluminium Frame



CONVENIENCE PLUS

- Ingenious, simple folding system
- Set up in less than 60 seconds
- No tools required for set up
- Superb adaptability for both indoor and outdoor events of all types
- Compact for transport and storage
- Available in a range of sizes
- Can be positioned adjacent to another Titan when larger areas of shelter are required
- Has the addition of various functional accessories
- Offers the option of customised graphics

USEFUL FEATURES:

- Simple, and quick to setup in an *instant*
- Very compact to store
- Can be stored standing
- Easy to transport.
- Unlimited indoor and outdoor uses
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense
- 'One piece' frame
- No interfering center poles

COMMON USES


- Sporting Events
- Animal & Pet Shows
- Camping & Beach Shade
- Market Stalls, Fairs & Gala Days
- Building Sites & Contractors
- Motorsports
- Emergency Services
- Maraes
- BBQ, Parties and Outdoor Dining

SHELTER SIZES

- 3.0m x 3.0m
- 3.0m x 4.5m
- 3.0m x 6.0m

PREMIUM GRADE ALUMINIUM EXTRUSION

*refer pages 22-23 for more information.



STANDARD ACCESSORIES:



1 X ROOF BAG



1 X WHEELED FRAME CARRY BAG



8-10 HEAVY-DUTY STEEL GROUND PEGS




4 X GUY STRAPS



INSTRUCTION SHEET

EASY SETUP






Patented pull-pin locking system ensures easy, finger safe set-up and collapsing.




Central Pivot design ensures a lifetime of durability.




Robust aluminium brackets compatible with the strength and quality of the rest of the frame.



Double layer of material at peak for extra wear resistance.




All seam points are double stitched for added strength and durability.




Advanced seam sealer strip applied to underside of all seams to ensure waterproofness.

Proven Design Features


Exclusive designs and patented features, engineered to promote smooth, easy operation plus lasting strength and durability - it's the details that make the difference.



Twin internal ribs in all strut bars for increased strength.



Robust anodized aluminium welded Foot Plate delivers greater grounding ability for superior stability and safety. Holes provided for ground pegs.



Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.




Additional buckled straps are positioned on the roof midway between each leg to help secure the roof to the frame and keep it tense.



50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds.



Double layer of material at corners to minimize wear and tear.



Sturdy D-Rings offer additional tie-down security.



Promercial

Commercial Grade Aluminium Frame



SUPERIORITY PLUS

- #1 selling Shedline range
- Have added strengthening characteristics to achieve an extremely tough design
- Relatively lightweight but sturdy
- Available in three popular sizes
- Boasts a top quality, commercial grade, aluminium frame construction
- An ideal shelter solution for almost any commercial or personal requirement
- Has the added option of customised graphics and other functional accessories (refer pages 16-17)
- Widely proven as a potent and extremely successful marketing tool

COMMON USES

- Trade Exhibitions and Fielddays
- Schools, Kindergarten & Community Groups
- Hiring & Catering
- Corporate Functions
- Sporting Events & Clubs
- Motorsports
- Building Sites & Contractors
- Emergency Services

USEFUL FEATURES:

- Simple, and quick to setup in an *instant*
- Compact to store
- No expert knowledge required
- Easy to transport
- Unlimited indoor & outdoor uses
- 'One piece' frame
- No interfering center poles
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense

SHELTER SIZES

- 3.0m x 3.0m
- 3.0m x 4.5m
- 3.0m x 6.0m

COMMERCIAL GRADE ALUMINIUM EXTRUSION

*refer pages 22-23 for more information.



STANDARD ACCESSORIES:



1 X ROOF BAG



1 X WHEELED FRAME CARRY BAG



8-10 HEAVY-DUTY STEEL GROUND PEGS




4 X GUY STRAPS




INSTRUCTION SHEET

EASY SETUP






Patented pull-pin locking system ensures easy, finger safe set-up and collapsing




Central Pivot design ensures a lifetime of durability.




Heavy Duty Aluminium brackets compatible with the strength and quality of the rest of the frame.



Double layer of material at peak for extra wear resistance.



All seam points are double stitched for added strength and durability.



Advanced seam sealer strip applied to underside of all seams to ensure waterproofness.

Proven Design Features

An Instant Marquee designed and constructed with premium grade materials, ideally suited to withstand demanding conditions.



Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.



Robust anodized aluminium welded Foot Plate delivers greater grounding ability for superior stability and safety. Holes provided for ground pegs.



Additional buckled straps are positioned on the roof midway between each leg to help secure the roof to the frame and keep it tense.



Twin internal ribs in all strut bars for increased strength.



Sturdy peak pole design compatible with the quality of the rest of the frames.



50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds.



Double layer of material at corners to minimize wear and tear.



Sturdy D-Rings offer additional tie-down security.

Deluxe

Industrial Grade Aluminium Frame



SUPERIORITY PLUS

- Ingenious simple shedline concertina folding frame system
- The benefits of the other shedline ranges with added strength and larger sizes
- Constructed using extra heavy duty materials
- Extremely robust for all ranges of shelter application
- Outstanding strength and durability
- Top quality aluminium for all primary frame
- The weight of the frame is kept to a minimum without compromising its strength in any way
- A durable 500 denier polyester roof makes the deluxe instant marquee in a distinct class of its own
- The deluxe offers unparalleled shelter instantly in almost any situation

USEFUL FEATURES:

- Simple, easy setup in an extremely short time
- Compact to store
- No expert knowledge required
- Easy to transport
- Unlimited indoor and outdoor uses
- 'One piece' frame
- No interfering centre poles
- Effective advertising support tool
- Ideal presentation system
- Maximum effect for minimum expense

COMMON USES


- Hiring & Catering
- Sporting Events
- Trade Exhibitions & Fielddays
- Corporate Functions
- Building Sites & Contractors
- Cafés & Restaurants
- Emergency Services
- BBQ, Parties/Outdoor Dining
- Motorsports
- Maraes

SHELTER SIZES

- 3.0m x 3.0m
- 3.0m x 4.5m
- 3.0m x 6.0m
- 4.0m x 8.0m

HEAVY - DUTY INDUSTRIAL GRADE ALUMINIUM EXTRUSION

*refer pages 22-23 for more information.



STANDARD ACCESSORIES:



1 X ROOF BAG



1 X WHEELED FRAME CARRY BAG



8-10 HEAVY-DUTY STEEL GROUND PEGS




4 X GUY STRAPS




INSTRUCTION SHEET

EASY SETUP






Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.




Central Pivot design ensures a lifetime of durability.




Heavy Duty Aluminium brackets compatible with the strength and quality of the rest of the frame.



Double layer of material at peak for extra wear resistance



All seam points are double stitched for added strength and durability



Advanced seam sealer strip applied to underside of all seams to ensure waterproofness

Proven Design Features

Based on the same ingeniously simple Shedline concertina folding frame system, these superior Deluxe Instant Marquees offer all the benefits of the other models but with greatly enhanced strength and larger sizes.



Patented pull-pin locking system offers easy leg height adjustment and leveling capability on uneven ground. Multiple settings for maximum height adjustment.



Robust anodized aluminium welded Foot Plate delivers greater grounding ability for superior stability and safety. Holes provided for ground pegs.



Additional buckled straps are positioned on the roof midway between each leg to help secure the roof to the frame and keep it tense.




Twin internal ribs in all strut bars for increased strength.



Sturdy peak pole design compatible with the quality of the rest of the frames.



50mm wide horizontal velcro strip on lower inside edge of roof to allow sidewalls and/or raingutters to be attached/removed in seconds.



Double layer of material at corners to minimize wear and tear.



Sturdy D-Rings offer additional tie-down security.



Accessories



Wheeled Frame Carry Bag

Strong carry bag with handles and full length zipper to contain frame. Bag end zips off also. Makes for easy transportation and storage.



Sidewall & Accessories Carry Bag

Strong PVC bag with handles and full length zipper to contain sidewalls and other accessories. Makes for easy transport.




PVC Sand Bag (supplied full)

Helps to anchor marquee on all surface areas including concrete where ground pegs cannot be used. Strap handle for ease of carrying and for guy roping marquee to. Supplied full.




Leg Wrap Sand Bag (supplied empty)

Useful for anchoring the marquee in conditions where space is limited especially in public areas where guy ropes may present a hazard. Supplied empty.



Steel Footplate Anchoring Weight

Fits over footpad at base of marquee leg. Also has screw eye anchoring point for guy roping marquee to. Weighs 15kg.



Rain Gutter

Allows for the drainage of rainwater to outside the covered area when two or more Instant Marquees are used adjacent to each other.

Sidewalls

All Side walls are available in a wide range of both sizes and colours.

SIDE WALL (STANDARD)

Offering extra protection from sun, wind, rain and privacy.



SIDE WALL (WITH WINDOW)

Offers the same advantages as the standard side wall PLUS allows greater visibility and extra light.



SIDE WALL (WITH ZIP DOOR)

Allows flexible access in/out through side wall, and greater privacy and shelter.




Colours

AVAILABLE COLOURS



Please note: Not all colours are stocked in all marquee sizes. Surcharge and a lead time will apply for non-stock items.

Printing Process



Our unparalleled customer service and 25+ years experience has given us the reputation as New Zealand's leading printed marquee supplier.

We use a Dye sublimation printing process. This means you can print full colours, bright colors and multiple colors. The ink is embedded into the fibres so it gives the illusion the design is woven into the fabric and not just printed on top.

We can print on as little or as many surfaces as you need including the valance, full roof and walls (single or double sided). We can custom print any colour so your logo/brand can be colour-matched.


Need help with the design? We have a team of in-house graphic designers that will create the artwork and provide a proof at no extra cost.

Fabric

PREMIUM CLOSE-MESH POLYESTER

Our canopies are manufactured from premium close-mesh Polyester fabric. The exceptional all-round qualities of this premium, low maintenance fabric include:

- Fire retardant
- Waterproof
- 100% U/V Protection* (Rated UPF 50+)
**Actual test results 99.84 - 99.97% U/V Blockout*
- Excellent quality for printing
- Double-stitched waterproof seams



Product Warranties

WARRANTIES

Shedline Instant Marquees are reputed for their robust construction and their consistent, ongoing reliability. All models carry warranties against material flaws in both the frame structure and the roof and sidewall fabrics (conditions apply).

TITAN



PROMERICAL



DELUXE



PROMOTE YOUR COMPANY, BRAND, PRODUCT.

Roofs and sidewalls can be easily printed to transform your marquee into an effective marketing tool whenever and wherever it is deployed. A custom branded marquee will.

- Ensure you stand out from the crowd.
- Promote your business with individuality
- Attract attention



“ We were concerned about the need for a strong marquee to use at the national field days. Having purchased the Shedline Promercial, we were amazed at its quality standing up to the windy storm experienced on the first day, it performed to perfection.

Promax Plastics ”

“ I just want to thank you for the marquee, it is great and we have had lot of positive comments about it. The quality is superb, the printing effective and I recommend your company and product to anyone who is interested in a marquee. A pleasure to do business with you.

Hughes Transport ”

Frame Construction

	Model		
TITAN	Premium Grade Aluminium Extrusion		
PROMERCIAL	Commercial Grade Aluminium Extrusion		
DELUXE	Heavy Duty Industrial Grade Aluminium Extrusion		

Dimensions/Weights

	TITAN		PROMERCIAL		DELUXE	
3.0m x 3.0m	Collapsed Frame Size	1590 x 260 x 260	Collapsed Frame Size	1590 x 200 x 270	Collapsed Frame Size	1590 x 325 x 325
	Max. Height		Max. Height		Max. Height	
	Ground to Peak:	3340mm	Ground to Peak:	3340mm	Ground to Peak:	3330mm
	Head Clearance:	2090mm	Head Clearance:	2090mm	Head Clearance:	2080mm
	Weight		Weight		Weight	
	Frame	19 kg	Frame	26 kg	Frame	30 kg
	Roof	6 kg	Roof	6 kg	Roof	6 kg
3.0m x 4.5m	Collapsed Frame Size	1590 x 260 x 360	Collapsed Frame Size	1590 x 270 x 380	Collapsed Frame Size	1590 x 325 x 450
	Max. Height		Max. Height		Max. Height	
	Ground to Peak:	3340mm	Ground to Peak:	3340mm	Ground to Peak:	3330mm
	Head Clearance:	2090mm	Head Clearance:	2090mm	Head Clearance:	2080mm
	Weight		Weight		Weight	
	Frame	23 kg	Frame	36 kg	Frame	40 kg
	Roof	8 kg	Roof	8 kg	Roof	8 kg
3.0m x 6.0m	Collapsed Frame Size	1590 x 400 x 220	Collapsed Frame Size	1590 x 270 x 460	Collapsed Frame Size	1590 x 325 x 580
	Max. Height		Max. Height		Max. Height	
	Ground to Peak:	3340mm	Ground to Peak:	3340mm	Ground to Peak:	3330mm
	Head Clearance:	2090mm	Head Clearance:	2090mm	Head Clearance:	2080mm
	Weight		Weight		Weight	
	Frame	34 kg	Frame	49 kg	Frame	53 kg
	Roof	10 kg	Roof	10 kg	Roof	10 kg
4.0m x 8.0m	N/A		N/A		Collapsed Frame Size	2060 x 325 x 580
	N/A		N/A		Max. Height	
	N/A		N/A		Ground to Peak:	3850mm
	N/A		N/A		Head Clearance:	2150mm
	N/A		N/A		Weight	
	N/A		N/A		Frame	65 kg
	N/A		N/A		Roof	16 kg

All sizes and dimensions are subject to change without notice.



PREMIUM INSTANT MARQUEES

13 Nell Place,
Raumanga,
Whangarei 0110

PHONE: 0800 144 155

SHEDLINE.CO.NZ